


# FormaLa

formaLa plus1





FormaLa is a flexible LED lamp that generates an infinite array of shapes.

FormaLa plus comprises one, two, three or four elements that join together.

The collection is protected by patent.


formaLa plus2



formaLa plus3




formaLa plus4




# FormaLa

examples of multiple compositions

formaLa plus1 (x4)



formaLa plus2 (x2)




formaLa plus4 + formaLa plus2



# FormaLa


max 128  
max 50<sup>3/4"</sup>



luminaire	
finish	satined steel/white, satined steel/black
materials	steel, technopolymers
environment	interiors
mounting location	wall/ceiling
emission	indirect and diffused light
ballast	integrated electronic dimmable
dimming	cut-phase
voltage	230V
insulation class	1
IP classification	IP20
certifications	CE patented
design	Luta Bettonica, 2013

light source	
source	LED
number of LED	315
power	24W
luminous flux	2.200 lm
colour temperature	2.700K or 3.000K
CRI	= 90
energy label	

## versions



**FormaLa**  
**3.000K**  
steel/white  
cod 1601  
steel/black  
cod 1621  
**2.700K**  
steel/white  
cod W1601  
steel/black  
cod W1621

## accessories





**kit per  
cartongesso**  
cod 1602



**sostegno  
soffitto**  
cod 1609

CINI & NILS


# FormaLa2



luminaire	
finish	satined steel/white, satined steel/black
materials	steel, technopolymers
environment	interiors
mounting location	wall/ceiling
emission	indirect and diffused light
ballast	integrated electronic dimmable
dimming	cut-phase
voltage	230V
insulation class	1
IP classification	IP20
certifications	CE patented
design	Luta Bettonica, 2013

light source	
source	LED
number of LED	2 x 315
power	2 x 24W
luminous flux	2 x 2.200 lm
colour temperature	2.700K or 3.000K
CRI	= 90
energy label	<p>Questo dispositivo è munito di lampade a LED integrate.</p> <p>Le lampade di questo dispositivo non sono sostituibili.</p> <p>LED</p> <p>874/2012</p>

## versions



**FormaLa2**  
**3.000K**  
 steel/white  
 cod 1627  
 steel/black  
 cod 1628  
**2.700K**  
 steel/white  
 cod W1627  
 steel/black  
 cod W1628

## accessories



**kit per  
cartongesso**  
 cod 1602




**sostegno  
soffitto**  
 cod 1609

CINI & NILS

# FormaLa plus1

max 116  
max 45 7/8"



6,5  
2 5/8"


4  
1 5/8"




luminaire	
finish	satined steel/white, satined steel/black
materials	steel, technopolymers
environment	interiors
mounting location	wall/ceiling
emission	indirect and diffused light
ballast	remote electronic dimmable (not included)
dimming	push, DALI
voltage	230V
insulation class	1
IP classification	IP20
certifications	CE patented
design	Luta Bettonica, 2013

light source	
source	LED
number of LED	315
power	24W
luminous flux	2.200 lm
colour temperature	2.700K or 3.000K
CRI	= 90

energy label



## versions



**FormaLa plus1**  
3.000K  
steel/white  
cod 1605  
steel/black  
cod 1615  
**2.700K**  
steel/white  
cod W1605  
steel/black  
cod W1615

**FormaLa plus2**  
3.000K  
steel/white  
cod 1606  
steel/black  
cod 1616  
**2.700K**  
steel/white  
cod W1606  
steel/black  
cod W1616

**FormaLa plus3**  
3.000K  
steel/white  
cod 1607  
steel/black  
cod 1617  
**2.700K**  
steel/white  
cod W1607  
steel/black  
cod W1617

**FormaLa plus4**  
3.000K  
steel/white  
cod 1608  
steel/black  
cod 1618  
**2.700K**  
steel/white  
cod W1608  
steel/black  
cod W1618

**FormaLa plus1/2**  
alimentatore  
ON/OFF  
cod 1632



**Tassello punto luce**  
cod 1604

**FormaLa plus1/2**  
alimentatore  
push/DALI  
cod 1622



**Sostegno soffitto**  
cod 1609



**Kit per cartongesso**  
cod 1602



**Piastra punto luce**  
cod 1603




**Loop coperchio**  
cod 1610

CINI & NILS

# FormaLa plus2


max 228  
max 89 3/4"




luminaire	
finish	satined steel/white, satined steel/black
materials	steel, technopolymers
environment	interiors
mounting location	wall/ceiling
emission	indirect and diffused light
ballast	remote electronic dimmable (not included)
dimming	push, DALI
voltage	230V
insulation class	1
IP classification	IP20
certifications	CE patented
design	Luta Bettonica, 2013

light source	
source	LED
number of LED	2 x 315
power	2 x 24W
luminous flux	2 x 2.200 lm
colour temperature	2.700K or 3.000K
CRI	= 90

energy label



## versions




**FormaLa plus1**  
3.000K  
steel/white  
cod 1605  
steel/black  
cod 1615  
**2.700K**  
steel/white  
cod W1605  
steel/black  
cod W1615

**FormaLa plus2**  
3.000K  
steel/white  
cod 1606  
steel/black  
cod 1616  
**2.700K**  
steel/white  
cod W1606  
steel/black  
cod W1616

**FormaLa plus3**  
3.000K  
steel/white  
cod 1607  
steel/black  
cod 1617  
**2.700K**  
steel/white  
cod W1607  
steel/black  
cod W1617

**FormaLa plus4**  
3.000K  
steel/white  
cod 1608  
steel/black  
cod 1618  
**2.700K**  
steel/white  
cod W1608  
steel/black  
cod W1618

## accessories



**FormaLa plus1/2 alimentatore ON/OFF**  
cod 1632

**FormaLa plus1/2 alimentatore push/DALI**  
cod 1622

**Kit per cartongesso**  
cod 1602

**Piastra punto luce**  
cod 1603

  
**Tassello punto luce**  
cod 1604

  
**Sostegno soffitto**  
cod 1609


  
**Loop coperchio**  
cod 1610

**CINI & NILS**



# FormaLa plus3

max 340  
max 133 7/8"




6.5  
1 5/8" 2 5/8"




luminaire	
finish	satined steel/white, satined steel/black
materials	steel, technopolymers
environment	interiors
mounting location	wall/ceiling
emission	indirect and diffused light
ballast	remote electronic dimmable (not included)
dimming	push, DALI
voltage	230V
insulation class	1
IP classification	IP20
certifications	CE patented
design	Luta Bettonica, 2013

light source	
source	LED
number of LED	3 x 315
power	3 x 24W
luminous flux	3 x 2.200 lm
colour temperature	2.700K or 3.000K
CRI	= 90

energy label




## versions



FormaLa plus1	FormaLa plus2	FormaLa plus3	FormaLa plus4
3.000K	3.000K	3.000K	3.000K
steel/white cod 1605	steel/white cod 1606	steel/white cod 1607	steel/white cod 1608
steel/black cod 1615	steel/black cod 1616	steel/black cod 1617	steel/black cod 1618
2.700K	2.700K	2.700K	2.700K
steel/white cod W1605	steel/white cod W1606	steel/white cod W1607	steel/white cod W1608
steel/black cod W1615	steel/black cod W1616	steel/black cod W1617	steel/black cod W1618

## accessories



**FormaLa plus1/2 alimentatore ON/OFF**  
cod 1632

**FormaLa plus1/2 alimentatore push/DALI**  
cod 1622

**Kit per cartongesso**  
cod 1602

**Piastra punto luce**  
cod 1603

**Tassello punto luce**  
cod 1604


**Sostegno soffitto**  
cod 1609

**Loop coperchio**  
cod 1610

CINI & NILS


# FormaLa plus4

max 452  
max 177<sup>7/8"</sup>




luminaire	
finish	satined steel/white, satined steel/black
materials	steel, technopolymers
environment	interiors
mounting location	wall/ceiling
emission	indirect and diffused light
ballast	remote electronic dimmable (not included)
dimming	push, DALI
voltage	230V
insulation class	1
IP classification	IP20
certifications	CE patented
design	Luta Bettonica, 2013

light source	
source	LED
number of LED	4 x 315
power	4 x 24W
luminous flux	4 x 2.200 lm
colour temperature	2.700K or 3.000K
CRI	= 90




## versions



FormaLa plus1	FormaLa plus2	FormaLa plus3	FormaLa plus4
3.000K	3.000K	3.000K	3.000K
steel/white cod 1605	steel/white cod 1606	steel/white cod 1607	steel/white cod 1608
steel/black cod 1615	steel/black cod 1616	steel/black cod 1617	steel/black cod 1618
2.700K	2.700K	2.700K	2.700K
steel/white cod W1605	steel/white cod W1606	steel/white cod W1607	steel/white cod W1608
steel/black cod W1615	steel/black cod W1616	steel/black cod W1617	steel/black cod W1618

## accessories



**FormaLa plus1/2 alimentatore ON/OFF**  
cod 1632

**FormaLa plus1/2 alimentatore push/DALI**  
cod 1622

**Kit per cartongesso**  
cod 1602

**Piastra punto luce**  
cod 1603

**Tassello punto luce**  
cod 1604

**Sostegno soffitto**  
cod 1609

**Loop coperchio**  
cod 1610

CINI & NILS