


# FLOS



## Ipnos




### Ipnos

by Nicoletta Rossi and Guido Bianchi , 2014




<b>Item Code</b>	F31200
<b>Mounting</b>	Floor
<b>Environment</b>	Indoor
<b>Finish</b>	Anodized black, Anodized natural, Anodized bronze
<b>Weight</b>	0.8kg.

### Technical description



Floor lamp providing diffused light. Extruded aluminium frame 10x10x1 gratiné and anodized in various finishes. Led on the top edges incorporated in the extrusions and protected by transparent PC diffusers. Driver on plug, dimmable switch on chord.

### Colors

-  F3120030 - Anodized black
-  F3120054 - Anodized natural
-  F3120046 - Anodized bronze

### Light source

196 x TOP LED 2700K 980lm CRI85 - 15W

---

## Electrical

<b>Emergency</b>	Without
<b>Battery</b>	No
<b>Supply included</b>	No

---

## Physical

<b>Construction Material</b>	Aluminum, Polycarbonate
<b>Weight (Kg)</b>	0.8

## Certificate



# Accessories



F3125000

## Ipnos Top Plate

Its a transparent methacrylate diffuser, designed to be placed on the top of the fitting with the possibility to bear up to 5 kg. The Top Plate is adaptable for Ipnos both indoor and outdoor version.