


FLOS



Romeo Babe K Wall



Romeo Babe K Wall

by Philippe Starck , 2004

Item Code F61910


Mounting Wall

Environment Indoor

Finish Aluminized silver


Weight 0.5kg.

Technical description Wall sconce providing diffused lighting. Injection-molded polycarbonate external diffuser completely finished with high-vacuum aluminization process.



Gray painted die-cast aluminum diffuser and lamp support. Gray painted, injection-molded polycarbonate wall fitting and rose.

Colors

 F6191000 - Aluminized silver

Light source

1 x HSGS 33W G9
1 x LED 2,3W G9 200lm 3000K

Electrical

Emergency	Without
Voltage	230
Battery	No
Supply included	Yes

Physical

Construction Material	Glass, Polycarbonate, Stainless steel
Weight (Kg)	0.5

Certificate



FLOS



Romeo Babe Wall



Romeo Babe Wall

by Philippe Starck , 1996

Item Code F6260000

Mounting Wall


Environment Indoor

Finish Glass

Weight 0.5kg.


Technical description

Wall sconce providing diffused lighting. Acid-etched pressed borosilicate glass internal diffuser. Pressed clear glass shade. Gray painted die-cast



aluminum diffuser and lamp support. Gray painted, injection-molded polycarbonate wall fitting and rose.

Colors



F6260000A - Glass

Light source

1 x HSGS 33W G9
1 x LED 2,3W G9 200lm 3000K

Electrical

Emergency Without

Voltage 230

Battery No

Supply included Yes

Physical

Construction Material Glass, Stainless steel

Weight (Kg) 0.5


Certificate



FLOS



Romeo Babe Soft Wall



Romeo Babe Soft Wall

by Philippe Starck , 1997

Item Code F626000


Mounting Wall

Environment Indoor

Finish Fabric


Weight 0.4kg.

Technical description Wall sconce providing diffused lighting. Acid-etched pressed borosilicate glass internal diffuser. Plissé cloth shade. Gray painted die-cast aluminum



diffuser and lamp support. Gray painted, injection-molded polycarbonate wall fitting and rose.

Colors

 F6260007A - Fabric

Light source

1 x HSGS 33W G9
1 x LED 2,3W G9 200lm 3000K

Electrical

Emergency Without

Voltage 230

Battery No

Supply included Yes

Physical

Construction Material Fabric, Glass, Stainless steel

Weight (Kg) 0.4

Certificate

