

NORMA

Mario Barbaglia

Familie von Wandleuchten mit Halogen- und LED-Bestückung.
Diffuses Licht durchden satinierten rohrförmigen Diffusor aus
Pyrex-Glas oder opalweißem Polycarbonat(LED), Struktur aus
poliertem Aluminium.



25 HALO

LAMPING

Source	R7s (114mm)
Total power	250W
Emission	diffused
Switching	dimnable
Tension	230V
Typ cri	85
Ip class	40
Materials	glass + aluminium
Notes	horizontal mounting only, GLASS diffuser (pyrex)
Net lamp weight	1,8 kg

Codes

NOR HLW 31

Structure/Diffuser

chrome/white (pyrex)




PACKAGE

Package 01

Dimension: 37x36x14 cm / Gross weight: 2,5 kg

Certificazioni

CE ENEC IP40



25 LED

LAMPING

Source	LED board
Total power	20W
Emission	diffused
Tension	110/230V
Color temperature	3000K
Luminous flux	1800lm (source luminous flux)
Typ cri	85
Energy class	A+
Ip class	40
Materials	PMMA + aluminium
Notes	horizontal and vertical mounting, PMMA diffuser, double insulation only for version 25
Net lamp weight	1,8 kg

Codes

NOR LLW 35

Structure/Diffuser


chrome/white (PMMA)

PACKAGE

Package 01

Dimension: 37x36x14 cm / Gross weight: 2,5 kg

Certificazioni



65 LED

LAMPING

Source	LED board
Total power	17,5W
Emission	diffused
Switching	dimnable, DALI push
Tension	220/240V
Color temperature	3000K
Luminous flux	1444lm (source luminous flux)
Typ cri	85
Energy class	A+
Ip class	40
Materials	PMMA + aluminium
Notes	horizontal and vertical mounting, PMMA diffuser, double insulation only for version 25
Net lamp weight	3 kg

Codes

NOR LLW 32

Structure/Diffuser


chrome/white (PMMA)

PACKAGE

Package 01

Dimension: 35x75x15 cm / Gross weight: 4 kg

Certificazioni



95 LED

LAMPING

Source	LED board
Total power	27W
Emission	diffused
Switching	dimmable 0-10V
Tension	120/277V
Color temperature	3000K
Luminous flux	2400lm (source luminous flux)
Typ cri	85
Energy class	A+
Ip class	40
Materials	PMMA + aluminium
Notes	horizontal and vertical mounting
Net lamp weight	5 kg

Codes

NOR LLW 33

Structure/Diffuser

chrome/white (PMMA)

PACKAGE

Package 01

Dimension: 35x110x15 cm / Gross weight: 6 kg

Certificazioni

CE ENEC IP40

