Artemide

PRODUKTDATENBLATT

Null Vector Alfa - Aluminium grey

DESIGN:

Carlotta de Bevilacqua , Laura Pessoni

MATERIAL:

Aluminium, methacrylate

BESCHREIBUNG:

Null Vector displays a full combination of optical and mechanical performance. The aluminium body is both a structural and an optical component for light emission control. The whole structure is generated from an escalating growth of an individual punching and cutting mould, designed in the two versions alfa and beta. This matrix is characterized by a punch pattern with three functions - luminous, perceptive, and mechanical. While, on one hand, it is the result of a well-calculated study of light emission in space, translated into a graphic element supporting perception, on the other it derives from surpassing the limits of the material's processing technology. The optical system with an energy-saving light source with E14 connection also includes a texturized glazed diffuser, which ensures uniform lighting. The multi-faceted punched structure generates a magic lighting effect evoking the product's simplicity and lightweight in all the available finishes.

AUSWAHL

EXTRA LED

Aluminium grey

ARTIKELNUMMER

0940080A

Lichtverteilung

IP20

Dimmable

TECHNISCHES DATENBLATT

FUNKTIONEN

Produktname:	Null Vector Alfa - Aluminium grey
Artikelnummer:	0940080A
Farbe:	Aluminium grey
Material:	Aluminium, methacrylate
Serie:	Design

DIMENSION

Länge:	cm 13.7
Höhe:	cm 30
Tiefe:	cm 13.7
Max Höhe von der Decke:	cm 114
Glühdrahttest:	750°C °

OHNE LEUCHTMITTEL

LED retrofit

Kategorie:	LED
Watt:	6W
Sockel:	E14
Farbtemperatur(K):	3000K
Baureihe:	A

LUMINAIR

Watt:	6W
Spannung (V):	230V
Lichtstrom(lm):	390lm
CCT:	3000K
Efficacy:	55,7lm/W

DIMENSION



FARBE

Artemide

PRODUKTDATENBLATT

Null Vector Alfa - Blue



DESIGN:

Carlotta de Bevilacqua , Laura Pessoni

MATERIAL:

Aluminium, methacrylate

BESCHREIBUNG:

Null Vector displays a full combination of optical and mechanical performance. The aluminium body is both a structural and an optical component for light emission control. The whole structure is generated from an escalating growth of an individual punching and cutting mould, designed in the two versions alfa and beta. This matrix is characterized by a punch pattern with three functions - luminous, perceptive, and mechanical. While, on one hand, it is the result of a well-calculated study of light emission in space, translated into a graphic element supporting perception, on the other it derives from surpassing the limits of the material's processing technology. The optical system with an energy-saving light source with E14 connection also includes a texturized glazed diffuser, which ensures uniform lighting. The multi-faceted punched structure generates a magic lighting effect evoking the product's simplicity and lightweight in all the available finishes.

AUSWAHL

EXTRA LED

Blue

ARTIKELNUMMER

0940050A

Lichtverteilung

IP20

Dimmable

TECHNISCHES DATENBLATT

FUNKTIONEN

Produktname:	Null Vector Alfa - Blue
Artikelnummer:	0940050A
Farbe:	Blue
Material:	Aluminium, methacrylate
Serie:	Design

DIMENSION

Länge:	cm 13.7
Höhe:	cm 30
Tiefe:	cm 13.7
Max Höhe von der Decke:	cm 114
Glühdrahttest:	750°C °

OHNE LEUCHTMITTEL

Kategorie:	LED
Watt:	6W
Sockel:	E14
Farbtemperatur(K):	3000K
Baureihe:	A

LUMINAIR

Watt:	6W
Spannung (V):	230V
Lichtstrom(lm):	390lm
CCT:	3000K
Efficacy:	55,7lm/W

DIMENSION



FARBE

Artemide

PRODUKTDATENBLATT

Null Vector Alfa - Red

DESIGN:

Carlotta de Bevilacqua , Laura Pessoni

MATERIAL:

Aluminium, methacrylate

BESCHREIBUNG:

Null Vector conveys full synthesis between optical and mechanical performance. The whole frame is generated from the progressive expansion of an individual perforating and shearing mould. This matrix has a perforated pattern that performs three functions: luminous, perceptive, and mechanical. While on one hand it originates from a carefully studied calculation of light emission in space, translated into a graphic element that supports the experienced perception, on the other it is a result of surpassing the limits posed by the material processing technology. From the matrix to the individual element that, disassembled or reassembled in turn, generates paradoxically countless systems, yet simple and easy to understand. The low-voltage LED optical system, also with progressive powers and flows, forms a solid block with the body by means of three 120° transparent pins that allow free light flow and grow gradually in size according to the appliance's dimension. The multi-faceted frame generates a magic light effect evoking the product's simplicity and lightness. On request, greater light diffusion and homogeneity can be obtained by means of a glazed diffuser.

AUSWAHL

EXTRA LED

Red

ARTIKELNUMMER

0940010A

Lichtverteilung

IP20

Dimmable

TECHNISCHES DATENBLATT

FUNKTIONEN

Produktname:	Null Vector Alfa - Red
Artikelnummer:	0940010A
Farbe:	Red
Material:	Aluminium, methacrylate
Serie:	Design

DIMENSION

Länge:	cm 13.7
Höhe:	cm 30
Tiefe:	cm 13.7
Max Höhe von der Decke:	cm 114
Glühdrahttest:	750°C °

OHNE LEUCHTMITTEL

LED retrofit

Kategorie:	LED
Watt:	6W
Sockel:	E14
Farbtemperatur(K):	3000K
Baureihe:	A

LUMINAIR

Watt:	6W
Spannung (V):	230V
Lichtstrom(lm):	390lm
CCT:	3000K
Efficacy:	55,7lm/W

DIMENSION



FARBE

Artemide

PRODUKTDATENBLATT

Null Vector Alfa - White

DESIGN:

Carlotta de Bevilacqua , Laura Pessoni

MATERIAL:

Aluminium, methacrylate

BESCHREIBUNG:

Null Vector displays a full combination of optical and mechanical performance. The aluminium body is both a structural and an optical component for light emission control. The whole structure is generated from an escalating growth of an individual punching and cutting mould, designed in the two versions alfa and beta. This matrix is characterized by a punch pattern with three functions - luminous, perceptive, and mechanical. While, on one hand, it is the result of a well-calculated study of light emission in space, translated into a graphic element supporting perception, on the other it derives from surpassing the limits of the material's processing technology. The optical system with an energy-saving light source with E14 connection also includes a texturized glazed diffuser, which ensures uniform lighting. The multi-faceted punched structure generates a magic lighting effect evoking the product's simplicity and lightweight in all the available finishes.

AUSWAHL

EXTRA LED

weiß

ARTIKELNUMMER

0940020A

Lichtverteilung

IP20

Dimmable

TECHNISCHES DATENBLATT

FUNKTIONEN

Produktname:	Null Vector Alfa - White
Artikelnummer:	0940020A
Farbe:	weiß
Material:	Aluminium, methacrylate
Serie:	Design

DIMENSION

Länge:	cm 13.7
Höhe:	cm 30
Tiefe:	cm 13.7
Max Höhe von der Decke:	cm 114
Glühdrahttest:	750°C °

OHNE LEUCHTMITTEL

LED retrofit

Kategorie:	LED
Watt:	6W
Sockel:	E14
Farbtemperatur(K):	3000K
Baureihe:	A

LUMINAIR

Watt:	6W
Spannung (V):	230V
Lichtstrom(lm):	390lm
CCT:	3000K
Efficacy:	55,7lm/W

DIMENSION



FARBE

Artemide

PRODUKTDATENBLATT

Null Vector Beta - Aluminium grey

DESIGN:

Carlotta de Bevilacqua , Laura Pessoni

MATERIAL:

Aluminium, methacrylate

BESCHREIBUNG:

Null Vector displays a full combination of optical and mechanical performance. The aluminium body is both a structural and an optical component for light emission control. The whole structure is generated from an escalating growth of an individual punching and cutting mould, designed in the two versions alfa and beta. This matrix is characterized by a punch pattern with three functions - luminous, perceptive, and mechanical. While, on one hand, it is the result of a well-calculated study of light emission in space, translated into a graphic element supporting perception, on the other it derives from surpassing the limits of the material's processing technology. The optical system with an energy-saving light source with E14 connection also includes a texturized glazed diffuser, which ensures uniform lighting. The multi-faceted punched structure generates a magic lighting effect evoking the product's simplicity and lightweight in all the available finishes.

AUSWAHL

EXTRA LED

Aluminium grey

ARTIKELNUMMER

0941080A

Lichtverteilung

IP20

Dimmable

TECHNISCHES DATENBLATT

FUNKTIONEN

Produktname:	Null Vector Beta - Aluminium grey
Artikelnummer:	0941080A
Farbe:	Aluminium grey
Material:	Aluminium, methacrylate
Serie:	Design

DIMENSION

Länge:	cm 13.7
Höhe:	cm 15
Tiefe:	cm 13.7
Max Höhe von der Decke:	cm 200
Widerstand:	N/D
Glühdrahttest:	750°C °

OHNE LEUCHTMITTEL

LED retrofit

Kategorie:	LED
Watt:	6W
Sockel:	E14
Farbtemperatur(K):	3000K
Baureihe:	A

LUMINAIR

Watt:	6W
Spannung (V):	230V
Lichtstrom(lm):	390lm
CCT:	3000K
Efficacy:	55,7lm/W

DIMENSION



FARBE

Artemide

PRODUKTDATENBLATT

Null Vector Beta - Blue



DESIGN:

Carlotta de Bevilacqua , Laura Pessoni

MATERIAL:

Aluminium, methacrylate

BESCHREIBUNG:

Null Vector displays a full combination of optical and mechanical performance. The aluminium body is both a structural and an optical component for light emission control. The whole structure is generated from an escalating growth of an individual punching and cutting mould, designed in the two versions alfa and beta. This matrix is characterized by a punch pattern with three functions - luminous, perceptive, and mechanical. While, on one hand, it is the result of a well-calculated study of light emission in space, translated into a graphic element supporting perception, on the other it derives from surpassing the limits of the material's processing technology. The optical system with an energy-saving light source with E14 connection also includes a texturized glazed diffuser, which ensures uniform lighting. The multi-faceted punched structure generates a magic lighting effect evoking the product's simplicity and lightweight in all the available finishes.

AUSWAHL

EXTRA LED

Blue

ARTIKELNUMMER

0941050A

Lichtverteilung

IP20

Dimmable

TECHNISCHES DATENBLATT

FUNKTIONEN

Produktname:	Null Vector Beta - Blue
Artikelnummer:	0941050A
Farbe:	Blue
Material:	Aluminium, methacrylate
Serie:	Design

DIMENSION

Länge:	cm 13.7
Höhe:	cm 15
Tiefe:	cm 13.7
Max Höhe von der Decke:	cm 200
Widerstand:	N/D
Glühdrahttest:	750°C °

OHNE LEUCHTMITTEL

LED retrofit

Kategorie:	LED
Watt:	6W
Sockel:	E14
Farbtemperatur(K):	3000K
Baureihe:	A

LUMINAIR

Watt:	6W
Spannung (V):	230V
Lichtstrom(lm):	390lm
CCT:	3000K
Efficacy:	55,7lm/W

DIMENSION



FARBE

Artemide

PRODUKTDATENBLATT

Null Vector Beta - Red



DESIGN:

Carlotta de Bevilacqua , Laura Pessoni

MATERIAL:

Aluminium, methacrylate

BESCHREIBUNG:

Null Vector displays a full combination of optical and mechanical performance. The aluminium body is both a structural and an optical component for light emission control. The whole structure is generated from an escalating growth of an individual punching and cutting mould, designed in the two versions alfa and beta. This matrix is characterized by a punch pattern with three functions - luminous, perceptive, and mechanical. While, on one hand, it is the result of a well-calculated study of light emission in space, translated into a graphic element supporting perception, on the other it derives from surpassing the limits of the material's processing technology. The optical system with an energy-saving light source with E14 connection also includes a texturized glazed diffuser, which ensures uniform lighting. The multi-faceted punched structure generates a magic lighting effect evoking the product's simplicity and lightweight in all the available finishes.

AUSWAHL

EXTRA LED

Red

ARTIKELNUMMER

0941010A

Lichtverteilung

IP20

Dimmable

TECHNISCHES DATENBLATT

FUNKTIONEN

Produktname:	Null Vector Beta - Red
Artikelnummer:	0941010A
Farbe:	Red
Material:	Aluminium, methacrylate
Serie:	Design

DIMENSION

Länge:	cm 13.7
Höhe:	cm 15
Tiefe:	cm 13.7
Max Höhe von der Decke:	cm 200
Glühdrahttest:	750°C °

OHNE LEUCHTMITTEL

Kategorie:	LED
Watt:	6W
Sockel:	E14
Farbtemperatur(K):	3000K
Baureihe:	A

LUMINAIR

Watt:	6W
Spannung (V):	230V
Lichtstrom(lm):	390lm
CCT:	3000K
Efficacy:	55,7lm/W

DIMENSION



FARBE

Artemide

PRODUKTDATENBLATT

Null Vector Beta - White

DESIGN:

Carlotta de Bevilacqua , Laura Pessoni

MATERIAL:

Aluminium, methacrylate

BESCHREIBUNG:

Null Vector displays a full combination of optical and mechanical performance. The aluminium body is both a structural and an optical component for light emission control. The whole structure is generated from an escalating growth of an individual punching and cutting mould, designed in the two versions alfa and beta. This matrix is characterized by a punch pattern with three functions - luminous, perceptive, and mechanical. While, on one hand, it is the result of a well-calculated study of light emission in space, translated into a graphic element supporting perception, on the other it derives from surpassing the limits of the material's processing technology. The optical system with an energy-saving light source with E14 connection also includes a texturized glazed diffuser, which ensures uniform lighting. The multi-faceted punched structure generates a magic lighting effect evoking the product's simplicity and lightweight in all the available finishes.

AUSWAHL

EXTRA LED

weiß

ARTIKELNUMMER

0941020A

Lichtverteilung

IP20

Dimmable

TECHNISCHES DATENBLATT

FUNKTIONEN

Produktname:	Null Vector Beta - White
Artikelnummer:	0941020A
Farbe:	weiß
Material:	Aluminium, methacrylate
Serie:	Design

DIMENSION

Länge:	cm 13.7
Höhe:	cm 15
Tiefe:	cm 13.7
Max Höhe von der Decke:	cm 200
Glühdrahttest:	750°C °

OHNE LEUCHTMITTEL

LED retrofit

Kategorie:	LED
Watt:	6W
Sockel:	E14
Farbtemperatur(K):	3000K
Baureihe:	A

LUMINAIR

Watt:	6W
Spannung (V):	230V
Lichtstrom(lm):	390lm
CCT:	3000K
Efficacy:	55,7lm/W

DIMENSION



FARBE